

**EDARAVONE (RADICAVA®) PRESCRIBER ORDER FORM**

<b>Patient Name:</b> _____	<b>Date of Birth:</b> _____	<b>Gender:</b> _____
----------------------------	-----------------------------	----------------------

**Address:** \_\_\_\_\_

<b>Phone:</b> _____	<b>Height:</b> _____	<input type="checkbox"/> inches <input type="checkbox"/> cm	<b>Weight:</b> _____	<input type="checkbox"/> lbs <input type="checkbox"/> kg
---------------------	----------------------	---	----------------------	--

**Clinical Information**

<b>Primary Diagnosis Description:</b> Amyotrophic lateral sclerosis (ALS)	<b>ICD-10 Code:</b> G12.21
---	----------------------------

**Edaravone (Radicava®) Prescription****Edaravone (Radicava®) 30 mg/100 mLs bags refill as directed x 1 year**

- Initial Cycle:**  Infuse 60 mg IV over 60 minutes daily for 14 days followed by a 14-day drug-free period x 1 cycle.
- Maintenance Cycles:**  Infuse 60 mg IV over 60 minutes daily for 10 days within a 14-day period followed by a 14-day drug-free period. Repeat maintenance cycle every 28 days.

**Ancillary Orders****Anaphylaxis Kit**If this is a 1<sup>st</sup> dose, would you like Option Care Health to provide an anaphylaxis kit with the 1<sup>st</sup> dose?

- 
- Yes
- 
- No

- Dosage:**
- Epinephrine 0.3 mg (> 30 kg), 0.15 mg (15 to 30 kg), or 0.01 mg/kg (< 15 kg) SUBQ or IM x 1; repeat x 1 in 5 to 15 min PRN.
  - Diphenhydramine 25 mg (> 30 kg) or 1.25 mg/kg (≤ 30 kg) IV or IM; repeat x 1 in 15 min PRN no improvement.
  - 0.9% Sodium Chloride 500 mL (> 30 kg) or 250 mL (≤ 30 kg) IV at KVO rate PRN anaphylaxis.

**Medication Orders**

- 
- Lidocaine/prilocaine 2.5%/2.5% (or equivalent) anesthetic cream 30 gm – apply topically 30 min prior to venipuncture or port access as needed for numbing.
- 
- 
- Other: \_\_\_\_\_

**IV Flush Orders**

- |   |  |
|---|--|
| <input type="checkbox"/> <u>Peripheral:</u>                             | 0.9% Sodium Chloride 2 to 3 mL pre-/post-use.<br>Heparin (10 unit/mL) 1 to 3 mL post-use.<br>For maintenance, heparin (10 unit/mL) 1 to 3 mL every 24 hr.  |
| <input type="checkbox"/> <u>Peripheral-Midline:</u>                     | 0.9% Sodium Chloride 3 to 5 mL pre-/post-use, 5 mL pre-lab draw, 10 mL post-draw.<br>Heparin (100 unit/mL) 3 mL post-use.<br>For maintenance, flush with heparin (100 unit/mL) 3 mL every 24 hr.   |
| <input type="checkbox"/> <u>PICC and Central Tunneled/Non-Tunneled:</u> | 0.9% Sodium Chloride 5 mL pre-/post-use, 5 mL pre-lab draw, and 10 mL post-draw.<br>Heparin <input type="checkbox"/> (10 unit/mL) 5 mL <i>or</i> <input type="checkbox"/> (100 unit/mL) 3 mL post-use.<br>For maintenance, flush with heparin (10 unit/mL) 5 mL or (100 unit/mL) 3 mL every 24 hr. |
| <input type="checkbox"/> <u>Implanted Port:</u>                         | 0.9% Sodium Chloride 5 to 10 mL pre-/post-use and 10 to 20 mL pre-/post-lab draw.<br>Heparin (100 unit/mL) 3 to 5 mL post-use.<br>For maintenance, heparin (100 unit/mL) 3 to 5 mL every 24 hr if accessed or weekly to monthly if not accessed.   |

Skilled nurse to assess and administer and/or teach self-administration, where appropriate, via access device as indicated above. Nurse will provide ongoing support as needed. Refill above ancillary orders as directed x 1 year.

If patient is seen within a provider led infusion clinic, Option Care Health's infusion reaction management policy, skilled nursing plan of treatment, and IV flush administration will be followed per provider oversight. No individual anaphylaxis kit will be dispensed.

*I certify that the use of the indicated treatment is medically necessary, and I will be supervising the patient's treatment.*

**Prescriber Signature:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Prescriber Information**

<b>Prescriber Name:</b> _____	<b>Phone:</b> _____	<b>Fax:</b> _____
<b>Address:</b> _____	<b>NPI:</b> _____	
<b>City, State:</b> _____	<b>Zip:</b> _____	<b>Office Contact:</b> _____

**CONFIDENTIAL HEALTH INFORMATION:** Healthcare information is personal information related to a person's healthcare. It is being faxed to you after appropriate authorization or under circumstances that do not require authorization. You are obligated to maintain it in a safe, secure, and confidential manner. Re-disclosure of this information is prohibited unless permitted by law or appropriate customer/patient authorization is obtained. Unauthorized re-disclosure or failure to maintain confidentiality could subject you to penalties described in federal and state laws. **IMPORTANT WARNING:** This message is intended for the use of the person or entity to whom it is addressed and may contain information that is privileged and confidential, the disclosure of which is governed by applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this information is STRICTLY PROHIBITED. If you have received this message in error, please notify us immediately. Brand names are the property of their respective owners.