

# NULOJIX® (BELATACEPT) PRESCRIBER ORDER FORM

Patient Name:	Date of Birth:	Gender:
---------------	----------------	---------

Address:

Phone:	Height: _____ <input type="checkbox"/> inches <input type="checkbox"/> cm	Actual Body Weight at Time of Transplantation: _____ <input type="checkbox"/> lbs <input type="checkbox"/> kg Current Weight: _____ <input type="checkbox"/> lbs <input type="checkbox"/> kg Date: _____
--------	--	---

### Clinical Information

Primary Diagnosis Description:	ICD-10 Code:
--------------------------------	--------------

Allergies:  NKDA OR (List):

Is this the first dose?  Yes – date of first dose: \_\_\_\_\_  
 No – date of last dose: \_\_\_\_\_

### Nulojix® (belatacept) Prescription

**Nulojix® (belatacept) refill as directed x 1 year**

- IV Regimen:**  Induction Phase Dose: 10mg per kg IV infused over 30 minutes on \_\_\_\_\_ and then \_\_\_\_\_.  
 Maintenance Phase Dose: 5mg per kg IV infused over 30 minutes every 4 weeks beginning \_\_\_\_\_.  
 Other: \_\_\_\_\_

Dose will be rounded to the nearest 12.5mg increment. Will be administered by a healthcare professional.

### Ancillary Orders

#### Anaphylaxis Kit

If this is a 1<sup>st</sup> infusion dose, would you like Option Care Health to provide an anaphylaxis kit with the 1<sup>st</sup> dose?

- Yes  No

- Dosage:  Epinephrine 0.3 mg (> 30 kg), 0.15 mg (15 to 30 kg), or 0.01 mg/kg (< 15 kg) SUBQ or IM x 1; repeat x 1 in 5 to 15 min PRN.  
 Diphenhydramine 25 mg (> 30 kg) or 1.25 mg/kg (≤ 30 kg – 25mg max dose) IV or IM; repeat x 1 in 15 min PRN no improvement.  
 0.9% Sodium Chloride 500 mL (> 30 kg) or 250 mL (≤ 30 kg) IV at KVO rate PRN anaphylaxis.

#### Medication Orders

- Acetaminophen 650 mg PO 30 min before infusion, may repeat every 3 to 4 hours as needed for fever or mild discomfort. Patient may decline.  
 Diphenhydramine 25 mg PO 30 min before infusion, may repeat every 4 to 6 hours as needed for mild to moderate allergic reactions. Patient may decline.  
 Methylprednisolone Sodium Succinate 40 mg IV push 20 minutes prior to infusion.  
 Other: \_\_\_\_\_

#### IV Flush Orders

- Peripheral: 0.9% Sodium Chloride 2 to 3 mL pre-/post-use.
- Implanted Port: 0.9% Sodium Chloride 5 to 10 mL pre-/post-use and 10 to 20 mL pre-/post-lab draw. Heparin (100 unit/mL) 3 to 5 mL post-use.  
For maintenance, heparin (100 unit/mL) 3 to 5 mL every 24 hr. if accessed or weekly to monthly if not accessed.

#### Lab Orders

- No labs ordered at this time.  
 Other:

Skilled nurse to administer doses intravenously in the home or alternate care setting. Refill above ancillary orders as directed x 1 year.

If patient is seen within a provider led infusion clinic, Option Care Health's infusion reaction management policy, skilled nursing plan of treatment, and IV flush administration will be followed per provider oversight. No individual anaphylaxis kit will be dispensed.

*I certify that the use of the indicated treatment is medically necessary, and I will be supervising the patient's treatment.*

Prescriber Signature:	Date:
-----------------------	-------

### Prescriber Information

Prescriber Name:	Phone:	Fax:
------------------	--------	------

Address:	NPI:
----------	------

City, State:	Zip:	Office Contact:
--------------	------	-----------------

**Fax completed form, insurance information, and clinical documentation to: 713-983-4647**

**CONFIDENTIAL HEALTH INFORMATION:** Healthcare information is personal information related to a person's healthcare. It is being faxed to you after appropriate authorization or under circumstances that do not require authorization. You are obligated to maintain it in a safe, secure, and confidential manner. Re-disclosure of this information is prohibited unless permitted by law or appropriate customer/patient authorization is obtained. Unauthorized re-disclosure or failure to maintain confidentiality could subject you to penalties described in federal and state laws. **IMPORTANT WARNING:** This message is intended for the use of the person or entity to whom it is addressed and may contain information that is privileged and confidential, the disclosure of which is governed by applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this information is STRICTLY PROHIBITED. If you have received this message in error, please notify us immediately. Brand names are the property of their respective owners.

**Not valid for use for patients residing in Arizona, New York, and Wisconsin**